



Blower Wheels

| SINGLE INLET | | | | | | |
|--------------|----------|---------|----------|------|---------|----------|
| PART NUMBER | DIAMETER | WIDTH | ROTATION | BORE | MAX RPM | STD PACK |
| 1-6123 | 4 | 7/8 | C.W. | 5/16 | 3600 | 4 |
| 1-6038 | 3 | 1 7/8 | C.W. | 1/4 | 5000 | 4 |
| 1-6039 | 3 | 1 7/8 | C.C.W. | 1/4 | 5000 | 4 |
| 1-6040 | 3 13/16 | 1 7/8 | C.C.W. | 1/4 | 5000 | 4 |
| 1-6041 | 3 13/16 | 1 7/8 | C.W. | 1/4 | 5000 | 4 |
| 1-6042 | 3 13/16 | 1 7/8 | C.C.W. | 5/16 | 5000 | 4 |
| 1-6043 | 3 13/16 | 1 7/8 | C.W. | 5/16 | 5000 | 4 |
| 1-6044 | 3 13/16 | 2 1/2 | C.W. | 5/16 | 5000 | 4 |
| 1-6045 | 3 13/16 | 2 1/2 | C.C.W. | 5/16 | 5000 | 4 |
| 1-6114 | 3 27/32 | 1 1/4 | C.W. | 1/4 | 5600 | 4 |
| 1-6113 | 3 27/32 | 1 | C.W. | 1/4 | 5800 | 4 |
| 1-6051 | 3 27/32 | 1 13/64 | C.C.W. | 1/4 | 5640 | 4 |
| 1-6141 | 4 | 1 1/2 | C.C.W. | 5/16 | 3600 | 4 |
| 1-6133 | 4 | 2 1/2 | C.C.W. | 1/4 | 3600 | 3 |
| 1-6046 | 4 1/4 | 2 | C.C.W. | 1/4 | 4500 | 4 |
| 1-6047 | 4 1/4 | 2 | C.C.W. | 5/16 | 4500 | 4 |
| 1-6052 | 4 1/4 | 2 15/16 | C.C.W. | 1/4 | 4500 | 3 |
| 1-6160 | 4 17/32 | 1 1/4 | C.W. | 5/16 | 6300 | 4 |
| 1-6161 | 4 17/32 | 1 1/4 | C.C.W. | 5/16 | 6300 | 4 |
| 1-6048 | 4 23/32 | 2 15/16 | C.W. | 5/16 | 3600 | 3 |
| 1-6000 | 4 23/32 | 2 15/16 | C.C.W. | 5/16 | 3600 | 3 |
| 1-6024 | 5 13/64 | 2 1/2 | C.W. | 5/16 | 3600 | 4 |
| 1-6025 | 5 13/64 | 2 1/2 | C.C.W. | 5/16 | 3600 | 4 |
| 1-6053 | 5 13/64 | 2 29/32 | C.W. | 5/16 | 3600 | 3 |
| 1-6054 | 5 13/64 | 2 29/32 | C.C.W. | 5/16 | 3600 | 3 |

| SINGLE INLET | | | | | | |
|--------------|----------|---------|----------|------|---------|----------|
| PART NUMBER | DIAMETER | WIDTH | ROTATION | BORE | MAX RPM | STD PACK |
| 1-6143 | 5 3/4 | 1 1/2 | C.C.W. | 5/16 | 3600 | 4 |
| 1-6026 | 5 45/64 | 2 15/16 | C.C.W. | 5/16 | 3000 | 3 |
| 1-6002 | 5 45/64 | 4 | C.W. | 1/2 | 2800 | 2 |
| 1-6057 | 5 45/64 | 4 | C.C.W. | 1/2 | 2800 | 2 |
| 1-6058 | 6 | 3 1/4 | C.W. | 1/2 | 2400 | 3 |
| 1-6010 | 6 | 3 1/4 | C.C.W. | 1/2 | 2400 | 3 |
| 1-6060 | 6 3/16 | 2 15/16 | C.C.W. | 3/8 | 3000 | 3 |
| 1-6063 | 6 25/64 | 4 | C.W. | 1/2 | 1700 | 2 |
| 1-6064 | 6 25/64 | 4 | C.C.W. | 1/2 | 1700 | 2 |
| 1-6066 | 7 1/8 | 2 | C.C.W. | 5/16 | 2900 | 4 |
| 1-6005 | 7 1/8 | 4 | C.C.W. | 1/2 | 1500 | 2 |
| 1-6070 | 7 31/64 | 3 1/2 | C.W. | 1/2 | 1800 | 3 |
| 1-6071 | 7 31/64 | 3 1/2 | C.C.W. | 1/2 | 1800 | 3 |
| 1-6006 | 8 5/64 | 4 | C.W. | 1/2 | 1650 | 3 |
| 1-6074 | 8 5/64 | 4 | C.C.W. | 1/2 | 1650 | 3 |
| 1-6077 | 8 35/64 | 3 | C.C.W. | 1/2 | 2050 | 4 |
| 1-6076 | 8 35/64 | 3 | C.W. | 1/2 | 2050 | 4 |
| 1-6007 | 9 1/8 | 4 1/4 | C.W. | 1/2 | 1475 | 3 |
| 1-6078 | 9 1/8 | 4 1/4 | C.C.W. | 1/2 | 1475 | 3 |
| 1-6008 | 9 1/8 | 5 | C.W. | 1/2 | 1350 | 2 |
| 1-6009 | 9 1/8 | 5 | C.C.W. | 1/2 | 1350 | 2 |
| 1-6079 | 9 31/32 | 4 | C.W. | 1/2 | 1350 | 3 |
| 1-6080 | 9 31/32 | 4 | C.C.W. | 1/2 | 1350 | 3 |
| 1-6027 | 9 31/32 | 6 | C.W. | 1/2 | 1100 | 2 |
| 1-6028 | 9 31/32 | 6 | C.C.W. | 1/2 | 1100 | 2 |

TYPICAL APPLICATIONS

- Condensers
- Small appliances
- Furnaces
- Draft booster
- Flue exhaust
- Galvanized steel




Rotation viewed side opposite hub.

NOTE: Thermally protected • UL recognized • GSA or ULc certified
 Rotation is determined by looking at shaft end. Shaft length is measured from motor face.

TYPICAL APPLICATIONS

- Condensers
- Small appliances
- Furnaces
- Galvanized steel except 2-6033 and 2-6034 are aluminum



Rotation viewed hub side.

| DOUBLE INLET | | | | | | |
|--------------|----------|---------|----------|------|---------|----------|
| PART NUMBER | DIAMETER | WIDTH | ROTATION | BORE | MAX RPM | STD PACK |
| 2-6011 | 4 27/32 | 7 | C.W. | 1/2 | 3600 | 1 |
| 2-6029 | 4 27/32 | 7 | C.C.W. | 1/2 | 3600 | 1 |
| 2-6082 | 5 13/32 | 6 55/64 | C.C.W. | 3/8 | 3600 | 1 |
| 2-6030 | 5 1/4 | 6 7/8 | C.W. | 1/2 | 3600 | 1 |
| 2-6012 | 5 19/64 | 7 | C.C.W. | 1/2 | 3600 | 1 |
| 2-6013 | 5 9/16 | 6 1/2 | C.W. | 1/2 | 2500 | 1 |
| 2-6014 | 5 9/16 | 6 1/2 | C.C.W. | 1/2 | 2500 | 1 |
| 2-6031 | 5 45/64 | 7 5/8 | C.W. | 1/2 | 3000 | 1 |
| 2-6032 | 5 45/64 | 7 5/8 | C.C.W. | 1/2 | 3000 | 1 |
| 2-6033 | 5 3/4 | 7 7/8 | C.W. | 1/2 | 1700 | 1 |
| 2-6083 | 6 25/64 | 7 | C.W. | 1/2 | 2050 | 1 |
| 2-6015 | 6 25/64 | 7 | C.C.W. | 1/2 | 2050 | 1 |
| 2-6084 | 6 3/16 | 7 5/8 | C.W. | 1/2 | 3000 | 1 |
| 2-6085 | 6 3/16 | 7 5/8 | C.C.W. | 1/2 | 3000 | 1 |
| 2-6034 | 6 25/64 | 8 | C.W. | 1/2 | 1500 | 1 |
| 2-6139 | 6 25/64 | 6 1/4 | C.C.W. | 3/4 | 2275 | 1 |
| 2-6086 | 7 31/64 | 4 | C.W. | 3/4 | 2700 | 2 |
| 2-6087 | 7 31/64 | 4 | C.C.W. | 3/4 | 2700 | 2 |
| 2-6035 | 7 31/64 | 4 1/2 | C.W. | 3/4 | 2400 | 2 |
| 2-6036 | 7 31/64 | 4 1/2 | C.C.W. | 3/4 | 2400 | 2 |
| 2-6016 | 7 31/64 | 6 | C.W. | 3/4 | 1950 | 2 |
| 2-6017 | 7 31/64 | 6 | C.C.W. | 3/4 | 1950 | 2 |
| 2-6018 | 7 31/64 | 9 | C.W. | 1/2 | 1600 | 1 |
| 2-6089 | 9 1/2 | 6 | C.W. | 1/2 | 1750 | 2 |
| 2-6019 | 9 1/2 | 7 | C.W. | 1/2 | 1550 | 1 |
| 2-6090 | 9 1/2 | 8 | C.W. | 1/2 | 1400 | 1 |
| 2-6020 | 9 1/2 | 9 1/4 | C.W. | 1/2 | 1300 | 1 |
| 2-6092 | 10 25/32 | 6 | C.W. | 1/2 | 1550 | 2 |
| 2-6093 | 10 25/32 | 7 | C.W. | 1/2 | 1350 | 2 |
| 2-6021 | 10 25/32 | 7 3/4 | C.W. | 1/2 | 1250 | 1 |
| 2-6037 | 10 25/32 | 9 1/4 | C.W. | 1/2 | 1200 | 1 |
| 2-6022 | 10 25/32 | 10 1/2 | C.W. | 1/2 | 1150 | 1 |