

The Motor Scope has been developed to help identify all the possible solutions for applications requiring replacement motors. The motors in this guide are first grouped by motor type. Within these types, the models are then sorted by Diameter, HP and Volts.

Simply select all the possible models using these specifications to get a preliminary list of models. Next, refer to the catalog pages where these models appear to determine the best choice.

3 PHASE - 56 FRAME										
FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D6622		1/3	208-230 / 460	1725	1	1.6-8	Open Drip Proof	REV	BALL	5/8 X 2
D6624		1/2	208-230 / 460	1725	1	2-1	Open Drip Proof	REV	BALL	5/8 X 2
D6626		3/4	208-230 / 460	1725	1	2.8-1.4	Open Drip Proof	REV	BALL	5/8 X 2
D6628		1	208-230 / 460	1725	1	3.4-1.7	Open Drip Proof	REV	BALL	5/8 X 2
D6630		1.5	208-230 / 460	1725	1	4.6-2.3	Open Drip Proof	REV	BALL	5/8 X 2
D6631		2	208-230 / 460	1725	1	6.2-3.1	Open Drip Proof	REV	BALL	5/8 X 2
D6633		3	208-230 / 460	1725	1	8-4	Open Drip Proof	REV	BALL	7/8 X 2-3/8
D6608	6.58	1	208-230 / 460	1140	1	4-2	Open Vent.	REV	BALL	5/8 X 3-3/4
D6610	6.58	1.5	208-230 / 460	1140	1	5.6-2.8	Open Vent.	REV	BALL	5/8 X 3-3/4

CAPACITOR START - 56 FRAME										
FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.	
D6082	1/3	115 / 208-230	1725	1	6.2-3.1	Open Drip Proof	REV	BALL	5/8 X 2	
D6084	1/2	115 / 208-230	1725	1	8.8-4.4	Open Drip Proof	REV	BALL	5/8 X 2	
D6066	3/4	115 / 208-230	3450	1	9.6-4.8	Open Drip Proof	REV	BALL	5/8 X 2	
D6086	3/4	115 / 208-230	1725	1	10.8-5.4	Open Drip Proof	REV	BALL	5/8 X 2	
D6068	1	115 / 208-230	3450	1	12-6	Open Drip Proof	REV	BALL	5/8 X 2	
D6088	1	115 / 208-230	1725	1	12.8-6.4	Open Drip Proof	REV	BALL	5/8 X 2	
D6070	1.5	115 / 208-230	3450	1	17.2-8.6	Open Drip Proof	REV	BALL	5/8 X 2	
D6090	1.5	115 / 208-230	1725	1	14.4-7.2	Open Drip Proof	REV	BALL	5/8 X 2	
D6073	2	115 / 208-230	3450	1	24-12	Open Drip Proof	REV	BALL	5/8 X 2	
D6093	2	115 / 208-230	1725	1	20-10	Open Drip Proof	REV	BALL	5/8 X 2	

PERMANENT SPLIT CAPACITOR MOTORS - 3.3" DIAMETER										
FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D1144	3.3	1/25-1/35-1/65	115	1200	3	1.1-.9-.6	Open Vent.	CW	SLV	3/8 X 5-3/8
D1243	3.3	1/20	115	1550	1	0.8	Open Vent.	CCW	SLV	5/16 X 2-3/4
D1102	3.3	1/20	115 / 230	1550	1	.75-.4	Open Vent.	CW	SLV	5/16 X 2-5/8
D1245	3.3	1/20	230	1550	1	0.4	Open Vent.	CCW	SLV	5/16 X 2-3/4
D1186	3.3	1/16	460	3450	1	0.3	Open Vent.	CCW	BALL	5/16 X 3-1/3
D1184	3.3	1/16	460	3450	1	0.3	Open Vent.	CCW	BALL	5/16 X 3-1/3
D1112	3.3	1/15-1/20-1/25	115	1550	3	1.5-1-.9	Open Vent.	CW	SLV	2-5/8 X 5/16 X 2-7/8
D323	3.3	1/15-1/20-1/35	115	1550	3	1-.8-.6	Tot. Encl.	DS	SLV	2-3/4 X 5/16 X 2-3/4
D1141	3.3	1/15-1/25-1/35	115	1000	3	1.3-1.1-0.9	Open Vent.	DS	SLV	5-5/8 X 3/8 X 5-5/8
D1176	3.3	1/15-1/25	115	1550	2	1-.8	Tot. Encl.	DS	SLV	4-7/8 X 3/8 X 4-7/8
D1127	3.3	1/12-1/15-1/20	115/230	1550	1	1.1/0.6	Open Vent.	REV	SLV	5/16 X 3
D1125	3.3	1/12	208-230	1500	1	0.4	Open Vent.	CCW	SLV	5/16 X 2-5/8
D1140	3.3	1/10-1/12-1/15	115	1500	3	2.2-2-1.7	Open Vent.	DS	SLV	5-5/8 X 3/8 X 5-5/8
D326	3.3	1/10-1/20-1/25	115	1550	3	2.2-1.8-1.5	Open Vent.	DS	BALL	5-1/2 X 5/16 X 3
D405	3.3	1/10	115	3000	1	1.4	Open Vent.	REV	BALL	5/15 X 3-1/4
D410	3.3	1/10	115	3000	1	1.5	Open Vent.	REV	BALL	1/4 X 3-3/4
D404	3.3	1/10	208-230	3000	1	0.8	Tot. Encl.	REV	BALL	5/16 X 3-1/4
D503	3.3	1/10	230	1500	1	0.95	Open Vent.	REV	SLV	5/16 X 3-3/4
D412	3.3	1/9	230	3000	1	0.7	Open Vent.	REV	BALL	1/4 X 3-3/4
D218	3.91	1/20	115	3000	1	0.8	Tot. Encl.	REV	BALL	5/16 X 2-1/4
D219	3.91	1/8	115	3000	1	1.8	Tot. Encl.	REV	BALL	5/16 X 2-1/4
D504	3.91	1/8	115 / 230	1500	1	1.6-.8	Open Vent.	REV	SLV	5/16 X 3-1/2



PERMANENT SPLIT CAPACITOR MOTORS - 5" AND 5.1" DIAMETER										
FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D382	5	1/25-1/40-1/50	115	1550	3	.6-.4-.3	Open Vent.	DS	SLV	6-7/8 X 1/2 X 6-7/8
D277	5	1/10-1/12-1/20	277	1050	3	.7-.5-.4	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D292	5	1/10-1/15-1/25-1/35	208-230	1050	4	1-.7-.4-.3	Open Vent.	DS	SLV	10-3/4 X 1/2 X 10-3/4
D290	5	1/10-1/15-1/25-1/40	115	1050	4	2.2-1.4-1-.7	Open Vent.	REV	SLV	1/2 X 8-1/2
D291	5	1/10-1/15-1/25-1/40	115	1050	4	2.2-1.4-1-.7	Open Vent.	DS	SLV	10-3/4 X 1/2 X 10-3/4
D294	5	1/10-1/20-1/25-1/35-1/50	115	1050	5	1.3-1-.7-.6-.5	Open Vent.	DS	SLV	10-3/4 X 3/8 X 10-3/4
D486	5	1/10	115 / 208-230	1550	1	2.5-1.3	Open Vent.	REV	SLV	3/8 X 3-1/8
D347	5	1/8-1/10-1/15-1/20	115	1550	4	2.3-1.6-.7	Open Vent.	DS	SLV	10-1/2 X 1/2 X 10-1/2
D261	5	1/8-1/15	115	1075	2	2.3-1.1	Open Vent.	REV	SLV	1/2 X 3
D1050	5	1/8	230	1550	1	1.1	Tot. Encl.	CW	SLV	1/2 X 3
D264	5	1/8	230	1550	1	1.1	Open Vent.	REV	SLV	1/2 X 5
D354	5	1/6-1/10-1/20	115	1050	3	2.8-1.8-1.0	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D221	5	1/6-1/8-1/10-1/12	115	1550	4	3.2-1.7-1.3-1	Open Vent.	DS	SLV	8 X 1/2 X 8
D247	5	1/6-1/8-1/12	230	1550	3	1-.7-.5	Open Vent.	DS	SLV	8 X 1/2 X 8
D260	5	1/6	115	1075	1	2.9	Open Vent.	CW	SLV	1/2 X 3
D258	5	1/5-1/10	208-230	1550	2	2.8-1.3	Open Vent.	DS	SLV	8 X 1/2 X 8
D262	5	1/5	230	925	1	2.3	Open Vent.	REV	SLV	1/2 X 4
D152	5	1/4-1/5-1/6-1/8	277	1050	4	1.6-1.1-.9-.7	Open Vent.	REV	SLV	1/2 X 6
D150	5	1/4-1/5-1/6	115	1050	3	4.1-3.2-2.5	Open Vent.	REV	SLV	1/2 X 6
D151	5	1/4-1/5-1/6	230	1050	3	1.7-1.2-1.0	Open Vent.	REV	SLV	1/2 X 6
D245	5	1/3-1/5	230	1050	2	2.9-1.7	Open Vent.	DS	SLV	8 X 1/2 X 8
D1025	5	1/3	208-230	1625	1	2.3	Open Vent.	DS	SLV	7-1/8 X 1/2 X 7-1/4
D488	5.1	1/20	115 / 208-230	1550	1	1.2-.6	Open Vent.	REV	SLV	3/8 X 3-1/3
D489	5.1	1/15	115 / 208-230	1550	1	1.2-.6	Open Vent.	REV	SLV	3/8 X 3-1/3
D1005	5.1	1/10-1/15	460	1075	2	.5-.3	Open Vent.	DS	SLV	9-5/8 X 1/2 X 9-5/8
D487	5.1	1/10	115 / 208-230	1550	1	2.7-1.4	Open Vent.	REV	SLV	3/8 X 3-1/8
D497	5.1	1/10	115 / 208-230	1050	1	2.0-1.0	Open Vent.	REV	BALL	3/8 X 3-1/8
D474	5.1	1/10	115 / 208-230	1550	1	1.9-1.0	Open Vent.	REV	SLV	3/8 X 3-1/3

3 PHASE - 5.6" DIAMETER									
FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D2720	3/4	200-230	1140	1	3.0	Open Vent.	REV	BALL	5/8 X 5-7/8 KEYED
D2721	3/4	460	1140	1	1.5	Open Vent.	REV	BALL	5/8 X 5-7/8 KEYED

PERMANENT SPLIT CAPACITOR MOTORS - 5.6" DIAMETER									
FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D750	1/8-1/10-1/12	208-230	1075	3	.9-.6-.5	Open Vent.	DS	SLV	7-1/2 X 1/2 X 9
D751	1/8-1/10-1/15	115	1075	3	2.3-1.5-1.1	Open Vent.	DS	SLV	7-1/2 X 1/2 X 9
D5459	1/8-1/6	208-230	1075	1	1.0	Tot. Encl.	REV	SLV	1/2 X 6-3/4
D799	1/8	208-230	825	1	0.9	Tot. Encl.	REV	SLV	1/2 X 6
D919	1/8	208-230	1075	1	0.9	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D975	1/6-1/10-1/12	277	1075	3	.9-.4-.3	Open Vent.	REV	SLV	1/2 X 5-1/2
D928	1/6-1/8-1/10	115	1075	3	2.7-2.1-1.7	Open Vent.	REV	SLV	1/2 X 5-1/4
D754	1/6-1/8-1/10	115	1075	3	2.7-2.1-1.7	Open Vent.	DS	SLV	7-1/2 X 1/2 X 9
D927	1/6-1/8-1/10	208-230	1075	3	1.4-.9-.5	Open Vent.	REV	SLV	1/2 X 6
D752	1/6-1/8-1/10	208-230	1075	3	1.4-.9-.5	Open Vent.	DS	SLV	7-1/2 X 1/2 X 9
D3775	1/6-1/8-1/10	230	1350	3	.8-.6-.5	Tot. Encl.	DS	SLV	7-3/4 X 1/2 X 7-3/4
D3752	1/6-1/8-1/10	230	900	3	1.2-.8-.6	Tot. Encl.	DS	SLV	7-1/2 X 1/2 X 7-1/2
D979	1/6-1/8-1/10	277	1075	3	.9-.7-.6	Open Vent.	DS	SLV	7-7/8 X 1/2 X 8-1/4
D733	1/6-1/8	115	1075	2	2.5-1.8	Tot. Encl.	REV	BALL	1/2 X 4-1/2
D905	1/6-1/8	208-230	1075	2	1.2-.9	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D736	1/6	115	1625	1	2	Tot. Encl.	REV	BALL	1/2 X 3-1/4
D834	1/6	115	1075	1	2.7	Tot. Encl.	CW	BALL	1/2 X 3
D793	1/6	208-230	825	1	1	Tot. Encl.	REV	BALL	1/2 X 6
D798	1/6	208-230	825	1	1.3	Tot. Encl.	REV	SLV	1/2 X 6

PERMANENT SPLIT CAPACITOR MOTORS - 5.6" DIAMETER (cont.)

FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D917	1/6	208-230	1075	1	1	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D5458	1/5-1/4-1/3	208-230	1075	1	2.0	Tot. Encl.	REV	SLV	1/2 X 6-3/4
D775	1/5-1/6-1/8	208-230	1625	3	1.1-.8-.7	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D776	1/5-1/8-1/10	115	1625	3	2.8-2-1.6	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D719	1/5-1/8	208-230	1075	2	1.3-.8	Open Vent.	REV	SLV	1/2 X 6-1/2
S719	1/5-1/8	208-230	1075	2	1.3-.8	Open Vent.	REV	SLV	1/2 X 6-1/2
D720	1/5	208-230	1075	1	1.5	Open Vent.	REV	SLV	1/2 X 6
D743	1/5	208-230	1075	1	1.2	Open Vent.	REV	SLV	1/2 X 6
D794	1/5	208-230	825	1	1.3	Tot. Encl.	REV	SLV	1/2 X 6
D906	1/5	208-230	1075	1	1.2	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D721	1/4-1/5-1/6	115	1075	3	4.8-3.3-2.6	Open Vent.	REV	SLV	1/2 X 6
D1730	1/4-1/5-1/6	115	1075	3	4.8-3.3-2.6	Open Vent.	REV	SLV	1/2 X 6
D773	1/4-1/5-1/6	115	1625	3	3.8-2.8-2.1	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D1733	1/4-1/5-1/6	208-230	1075	3	2.2-1.6-1.2	Open Vent.	REV	SLV	1/2 X 6
D774	1/4-1/5-1/6	208-230	1625	3	1.9-1.2-.9	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D3774	1/4-1/5-1/6	230	1350	3	1.5-1.1-.8	Tot. Encl.	DS	SLV	7-1/2 X 1/2 X 7-1/2
D3755	1/4-1/5-1/6	230	900	3	2-1.4-1	Tot. Encl.	DS	SLV	7-1/4 X 1/2 X 7-1/4
D904	1/4-1/5	208-230	1075	2	1.8-1	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D1703	1/4-1/6-1/8	115	1075	3	4.1-3.0-2.3	Tot. Encl.	DS	SLV	8 X 1/2 X 8
D756	1/4-1/6-1/8	115	1075	3	3.9-2.4-2.1	Open Vent.	DS	SLV	10 X 1/2 X 10
D725	1/4-1/6-1/8	208-230	1075	3	2.2-1.5-1.1	Open Vent.	REV	SLV	1/2 X 6
D1706	1/4-1/6-1/8	208-230	1075	3	1.7-1.3-1.0	Tot. Encl.	DS	SLV	8 X 1/2 X 8
D755	1/4-1/6-1/8	208-230	1075	3	2-1.4-1.2	Open Vent.	DS	SLV	7-1/2 X 1/2 X 8-1/2
D766	1/4-1/6-1/8	230	1075	3	1.9-1.2-.8	Tot. Encl.	DS	SLV	7-1/2 X 1/2 X 8-1/2
D973	1/4-1/6-1/8	277	1075	3	2-1.4-1	Open Vent.	REV	SLV	1/2 X 5-1/2
D739	1/4-1/6	208-230	1075	2	2-1.3	Open Vent.	REV	BALL	1/2 X 6
D918	1/4-1/6	460	1625	2	1/.6	Open Vent.	REV	BALL	1/2 X 6-1/2
D824	1/4-1/8	115	1100	2	3.2-2.4	Tot. Encl.	REV	BALL	1/2 X 3-1/2
D1702	1/4-1/8	208-230	1075	2	1.7-.8	Tot. Encl.	REV	BALL	1/2 X 6
D734	1/4	115	1075	1	3.8	Tot. Encl.	REV	BALL	1/2 X 3-1/4
D782	1/4	115	1625	1	3.5	Open Vent.	REV	SLV	1/2 X 6
D7749	1/4	208-230	1075	1	1.7	Open Vent.	REV	BALL	1/2 X 6-1/2
D749	1/4	208-230	1075	1	1.8	Open Vent.	REV	SLV	1/2 X 6-1/2
D939	1/4	208-230	1075	1	2.1	Open Vent.	REV	BALL	1/2 X 6
D742	1/4	208-230	1075	1	2.1	Open Vent.	REV	SLV	1/2 X 6
D934	1/4	208-230	825	1	1.9	Tot. Encl.	REV	SLV	1/2 X 6
D792	1/4	208-230	825	1	1.8	Open Vent.	REV	BALL	1/2 X 6
D797	1/4	208-230	825	1	1.8	Open Vent.	REV	SLV	1/2 X 6
D1749	1/4	208-230	1075	1	2.1	Open Vent.	REV	SLV	1/2 X 6
D922	1/4	208-230	1075	1	1.8	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D7909	1/4	208-230	1075	1	1.8	Tot. Encl.	REV	BALL	1/2 X 6-1/2
D909	1/4	208-230	1075	1	1.8	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D783	1/4	208-230	1625	1	1.5	Open Vent.	REV	SLV	1/2 X 6
D980	1/4	460	1075	1	1	Tot. Encl.	REV	BALL	1/2 X 6
D913	1/4	460	1075	1	1.1	Open Vent.	REV	BALL	1/2 X 6-3/8
D727	1/3-1/4-1/5	115	1075	3	5.9-4.6-3.8	Open Vent.	REV	SLV	1/2 X 6
D1731	1/3-1/4-1/5	115	1075	3	5.9-4.6-3.8	Open Vent.	REV	SLV	1/2 X 6
D1734	1/3-1/4-1/5	208-230	1075	3	2.8-2.2-1.8	Open Vent.	REV	SLV	1/2 X 6
D923	1/3-1/4-1/5	208-230	1075	3	2.9-2.2-1.7	Open Vent.	REV	SLV	1/2 X 6
D3771	1/3-1/4-1/5	230	1350	3	2.1-1.5-1.1	Open Vent.	DS	SLV	7-1/4 X 1/2 X 7-1/4
D3758	1/3-1/4-1/5	230	900	3	2.6-1.7-1.3	Open Vent.	DS	SLV	7 X 1/2 X 6-3/4
D972	1/3-1/4-1/5	277	1075	3	2.4-1.5-1	Open Vent.	REV	SLV	1/2 X 5-1/2
D1704	1/3-1/4-1/6	115	1075	3	4.9-3.1-2.2	Tot. Encl.	DS	SLV	8 X 1/2 X 8
D780	1/3-1/4-1/6	115	1625	3	4.7-3.5-2.7	Open Vent.	REV	SLV	1/2 X 6
D770	1/3-1/4-1/6	115	1625	3	5.9-4.4-3.5	Open Vent.	DS	SLV	8-3/4 X 1/2 X 8-3/4
D757	1/3-1/4-1/6	115	1075	3	6.9-4.8-3.8	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D723	1/3-1/4-1/6	208-230	1075	3	3.3-2.3-1.8	Open Vent.	REV	SLV	1/2 X 6

PERMANENT SPLIT CAPACITOR MOTORS - 5.6" DIAMETER (cont.)									
FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D781	1/3-1/4-1/6	208-230	1625	3	2-1.6-1.2	Open Vent.	REV	SLV	1/2 X 7
D771	1/3-1/4-1/6	208-230	1625	3	2.4-1.8-1.4	Open Vent.	DS	SLV	8-3/4 X 1/2 X 8-3/4
D758	1/3-1/4-1/6	208-230	1075	3	2.3-1.7-1.1	Open Vent.	DS	SLV	8-1/2 X 1/2 X 8-1/2
D1707	1/3-1/4-1/6	230	1075	3	2.3-1.5-1.1	Tot. Encl.	DS	SLV	8 X 1/2 X 8
D737	1/3-1/4	208-230	1075	2	3.5-1.9	Open Vent.	REV	BALL	1/2 X 6
D744	1/3-1/4	208-230	1075	2	3.2-2.4	Open Vent.	REV	SLV	1/2 X 6-1/2
D903	1/3-1/4	208-230	1075	2	2.7-1.3	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D1701	1/3-1/4	208-230	1075	2	2.2-1.3	Tot. Encl.	REV	BALL	1/2 X 5-1/2
D821	1/3-1/4	460	1075	2	1.2 / 1	Open Vent.	REV	BALL	1/2 X 6
D901	1/3-1/8	115	1100	2	4-3.5	Tot. Encl.	REV	BALL	1/2 X 3-1/2
D795	1/3	115	825	1	6.1	Open Vent.	REV	BALL	1/2 X 6
D732	1/3	115	1075	1	4.1	Tot. Encl.	REV	BALL	1/5 X 5
D747	1/3	208-230	1075	1	2.5	Open Vent.	REV	SLV	1/2 X 6
D937	1/3	208-230	1075	1	2.9	Open Vent.	REV	BALL	1/2 X 6-1/2
D7748	1/3	208-230	1075	1	2.9	Open Vent.	REV	BALL	1/2 X 6-1/2
D748	1/3	208-230	1075	1	2.9	Open Vent.	REV	SLV	1/2 X 6-1/2
D944	1/3	208-230	1075	1	2.9	Open Vent.	REV	SLV	1/2 X 6
D936	1/3	208-230	825	1	2	Tot. Encl.	REV	SLV	1/2 X 6
D796	1/3	208-230	825	1	2.6	Open Vent.	REV	SLV	1/2 X 6
D791	1/3	208-230	825	1	2.6	Open Vent.	REV	BALL	1/2 X 6
D1748	1/3	208-230	1075	1	2.9	Open Vent.	REV	SLV	1/2 X 6-1/2
D925	1/3	208-230	1075	1	2.7	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D7908	1/3	208-230	1075	1	2.6	Tot. Encl.	REV	BALL	1/2 X 6-1/2
D908	1/3	208-230	1075	1	2.4	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D787	1/3	208-230	1625	1	2.3	Open Vent.	REV	SLV	1/2 X 7
D921	1/3	230 / 460	825	1	2.7 / 1.4	Open Vent.	REV	BALL	1/2 X 6-3/8
D982	1/3	460	1075	1	1.2	Tot. Encl.	REV	BALL	1/2 X 6-1/2
D966	1/3	460	1075	1	1.5	Open Vent.	REV	SLV	1/2 X 6-1/2
D912	1/3	460	1075	1	1.1	Open Vent.	REV	BALL	1/2 X 6-3/8
D960	1/3	460	825	1	1.3	Open Vent.	REV	BALL	1/2 X 6
D2751	1/3	575	1100	1	.75	Open Vent.	REV	BALL	1/2 X 6-1/2
D2710	.4	200-230 / 460	1075	1	3.2 / 1.6	Open Vent.	REV	BALL	1/2 X 5-1/2
D701	1/2-1/3-1/4-1/5	115	1075	4	7.7-5.5-4.2-3.3	Open Vent.	REV	SLV	1/2 X 5-1/2
D902	1/2-1/3-1/4-1/5	115	1075	4	9.9-5.6-3.7-2.7	Open Vent.	REV	SLV	1/2 X 5-1/2
D1732	1/2-1/3-1/4	115	1075	3	7.7-5.5-4.2	Open Vent.	REV	SLV	1/2 X 6
D2700	1/2-1/3-1/4	115	1075	3	7.7/5.5/4.2	Open Vent.	REV	BALL	1/2 X 5-1/2
D1705	1/2-1/3-1/4	115	1075	3	8.7-6.2-4.9	Tot. Encl.	DS	SLV	8 X 1/2 X 8
D785	1/2-1/3-1/4	115	1625	3	8.4-6.4-5	Open Vent.	REV	SLV	1/2 X 6
D777	1/2-1/3-1/4	115	1625	3	9.4-6-4.5	Open Vent.	DS	SLV	7-1/2 X 1/2 X 7-1/2
D761	1/2-1/3-1/4	115	1075	3	9.6-6-4.4	Open Vent.	DS	SLV	8 X 1/2 X 8
D1735	1/2-1/3-1/4	208-230	1075	3	3.4-2.5-1.9	Open Vent.	REV	SLV	1/2 X 6
D703	1/2-1/3-1/4	208-230	1075	3	4-2.7-2	Open Vent.	REV	SLV	1/2 X 6
D784	1/2-1/3-1/4	208-230	1625	3	3.8-2.8-2.1	Open Vent.	REV	SLV	1/2 X 6
D772	1/2-1/3-1/4	208-230	1625	3	3.8-2.8-2.1	Open Vent.	DS	SLV	8 X 1/2 X 8
D760	1/2-1/3-1/4	208-230	1075	3	4.3-3.1-2.3	Open Vent.	DS	SLV	8 X 1/2 X 8
D2701	1/2-1/3-1/4	208/230	1075	3	4.0/2.7/2.0	Open Vent.	REV	BALL	1/2 X 6-1/4
D1708	1/2-1/3-1/4	230	1075	3	4.1-3.0-2.3	Tot. Encl.	DS	SLV	8 X 1/2 X 8
D3772	1/2-1/3-1/4	230	1350	3	3-1.9-1.3	Open Vent.	DS	SLV	7 X 1/2 X 7
D3760	1/2-1/3-1/4	230	900	3	4.2-2.2-1.5	Open Vent.	DS	SLV	7 X 1/2 X 7
D971	1/2-1/3-1/4	277	1075	3	3.2-2.2-1.8	Open Vent.	REV	SLV	1/2 X 5-1/2
D976	1/2-1/3-1/4	277	1075	3	3.4-2.2-1.6	Open Vent.	DS	SLV	7-3/8 X 1/2 X 7-1/4
D974	1/2-1/3-1/4	277	825	3	2.3-1.6-1.3	Open Vent.	REV	SLV	1/2 X 5
D735	1/2-1/3	208-230	1075	2	4.4-2.7	Open Vent.	REV	BALL	1/2 X 6
D1700	1/2-1/3	208-230	1075	2	3.7-1.9	Tot. Encl.	REV	BALL	1/2 X 5-1/2
D916	1/2-1/3	460	1625	2	1.6 / 1.1	Open Vent.	REV	BALL	1/2 X 6-1/2
D997	1/2-1/4	115	1100	2	7.1-4	Tot. Encl.	REV	SLV	1/2 X 3
D999	1/2-1/4	115	1100	2	7.1-4	Tot. Encl.	REV	SLV	5/8 X 3

PERMANENT SPLIT CAPACITOR MOTORS - 5.6" DIAMETER (cont.)

FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D900	1/2-1/4	115	1100	2	7.1-4	Tot. Encl.	REV	SLV	5/8 X 3
D817	1/2	115	1140	1	5.5	Tot. Encl.	CW	BALL	1/2 X 6
D998	1/2	115 / 230	825	1	6-3	Tot. Encl.	CW	BALL	5/8 X 2-5/8
D2729	1/2	200-230 / 460	1075	1	4.6-2.3	Open Vent.	REV	BALL	1/2 X 3-1/2
D935	1/2	208-230	1075	1	4.1	Open Vent.	REV	BALL	1/2 X 6-1/2
D7745	1/2	208-230	1075	1	3.7	Open Vent.	REV	BALL	1/2 X 6-1/2
D745	1/2	208-230	1075	1	3.7	Open Vent.	REV	SLV	1/2 X 6-1/2
D740	1/2	208-230	1075	1	4.5	Open Vent.	REV	SLV	1/2 X 6-1/2
D938	1/2	208-230	825	1	3.4	Open Vent.	REV	BALL	1/2 X 6
D790	1/2	208-230	825	1	3.5	Open Vent.	REV	BALL	1/2 X 6
D713	1/2	208-230	825	1	3.0	Tot. Encl.	REV	SLV	1/2 X 6
D1745	1/2	208-230	1075	1	4.1	Open Vent.	REV	SLV	1/2 X 6-1/2
D932	1/2	208-230	1075	1	3.9	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D7907	1/2	208-230	1075	1	3.7	Tot. Encl.	REV	BALL	1/2 X 6-1/2
D907	1/2	208-230	1075	1	3.7	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D788	1/2	208-230	1625	1	3.9	Open Vent.	REV	SLV	1/2 X 6
D819	1/2	208-230/460	1075	1	4-2	Open Vent.	REV	BALL	1/2 X 3
S2846	1/2	230 / 460	1075	1	3.9/2.0	Open Vent.	REV	BALL	1/2 X 5-3/8
D967	1/2	460	1075	1	1.6	Open Vent.	REV	SLV	1/2 X 6
D1911	1/2	460	1075	1	1.8	Open Vent.	REV	BALL	1/2 X 6-3/8
D911	1/2	460	1075	1	1.8	Open Vent.	REV	BALL	1/2 X 6-3/8
D802	1/2	460	1050	1	0.9	Open Vent.	REV	BALL	1/2 X 3-1/3
D961	1/2	460	825	1	1.9	Open Vent.	REV	BALL	1/2 X 6
D920	1/2	460	825	1	2.1	Open Vent.	REV	SLV	1/2 X 4-1/2
D2750	1/2	575	1625	1	1.0	Open Vent.	REV	BALL	1/2 X 6-1/2
D2711	.6	200-230 / 460	1075	1	4.0 / 2.0	Open Vent.	REV	BALL	1/2 X 5-1/2
D2712	.6	200-230 / 460	1075	1	4.0 / 2.0	Open Vent.	REV	BALL	5/8 X 5-1/2 KEYED
D2713	.6	575	1075	1	1.5	Open Vent.	REV	BALL	1/2 X 5-1/2
D2752	.6	575	1075	1	1.1	Tot. Encl.	REV	BALL	1/2 X 6-1/2
D724	3/4-1/2-1/3-1/4	115	1075	4	9.5-7.2-5.6-3.5	Open Vent.	REV	SLV	1/2 X 6
D728	3/4-1/2-1/3	115	1075	3	10.5-6.9-4.8	Open Vent.	REV	SLV	1/2 X 6
D2702	3/4-1/2-1/3	115	1075	3	10.5/5.6/4.8	Open Vent.	REV	BALL	1/2 X 6-1/4
D769	3/4-1/2-1/3	115	1075	3	11.9-8.1-6	Open Vent.	DS	SLV	8 X 1/2 X 8
D729	3/4-1/2-1/3	208-230	1075	3	5.4-3.8-2.9	Open Vent.	REV	SLV	1/2 X 6
D778	3/4-1/2-1/3	208-230	1625	3	5.3-3.8-3.2	Open Vent.	DS	SLV	7-1/2 X 1/2 X 7
D763	3/4-1/2-1/3	208-230	1075	3	5.7-4.1-3.1	Open Vent.	DS	SLV	8 X 1/2 X 8
D2703	3/4-1/2-1/3	208/230	1075	3	5.4/3.8/2.9	Open Vent.	REV	BALL	1/2 X 6-1/4
D786	3/4-1/2-1/3	230	1625	3	5.3-3.8-2.9	Open Vent.	REV	SLV	1/2 X 6
D970	3/4-1/2-1/3	277	1075	3	3.9-2.2-1.6	Open Vent.	REV	SLV	1/2 X 5-1/2
D730	3/4-1/2	208-230	1075	2	4.8-3.5	Open Vent.	REV	BALL	1/2 X 6
D915	3/4-1/2	460	1075	2	2.5 / 1.6	Open Vent.	REV	BALL	5/8 X 4-1/2
D914	3/4-1/2	460	1075	2	2.5 / 1.6	Open Vent.	REV	BALL	1/2 X 4-1/2
D823	3/4-1/2	460	1075	2	2.1 / 1.6	Open Vent.	REV	BALL	1/2 X 6
D726	3/4-1/3	115	1075	2	11-5	Open Vent.	REV	SLV	5/8 X 4-1/2 KEYED
D930	3/4-1/3	208-230	1075	2	4.4-2.1	Open Vent.	REV	BALL	1/2 X 6-1/4
D951	3/4-1/3	208-230	1075	2	5-2.2	Open Vent.	REV	BALL	5/8 X 4-1/2 KEYED
D940	3/4	208-230	1075	1	4.4	Open Vent.	REV	BALL	1/2 X 6-1/4
D929	3/4	208-230	1075	1	5	Open Vent.	REV	SLV	1/2 X 6-1/4
D933	3/4	208-230	1075	1	5	Tot. Encl.	REV	SLV	1/2 X 6-1/2
D931	3/4	208-230	1075	1	4.5	Tot. Encl.	REV	BALL	1/2 X 6-1/2
D789	3/4	208-230	1625	1	5.2	Open Vent.	REV	SLV	1/2 X 6
S2848	3/4	230 / 460	1075	1	4.7/2.4	Open Vent.	REV	BALL	1/2 X 6
D968	3/4	460	1075	1	2.5	Open Vent.	REV	SLV	1/2 X 6-1/2
D1910	3/4	460	1075	1	2.2	Open Vent.	REV	BALL	1/2 X 6-3/8
D910	3/4	460	1075	1	2.2	Open Vent.	REV	BALL	1/2 X 6-3/8
D1914	3/4	460	1050	1	1.7	Tot. Encl.	REV	BALL	1/2 X 6
D2753	3/4	575	1075	1	1.8	Tot. Encl.	REV	BALL	1/2 X 6-1/2



PERMANENT SPLIT CAPACITOR MOTORS - 5.6" DIAMETER (cont.)									
FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D2714	.8	200-230 / 460	1075	1	4.6 / 2.3	Open Vent.	REV	BALL	1/2 X 5-1/2
D2715	.8	200-230 / 460	1075	1	4.6 / 2.3	Open Vent.	REV	BALL	5/8 X 5-1/2 KEYED
D712	1-1/2-1/3	115	1075	3	11.8-6.3-3.9	Open Vent.	REV	SLV	1/2 X 6
D2705	1-1/2-1/3	115	1075	3	11.6/6.3/3.9	Open Vent.	REV	BALL	1/2 X 6-1/4
D711	1-1/2-1/3	208-230	1075	3	5.3-2.8-1.8	Open Vent.	REV	SLV	1/2 X 6
D2704	1-1/2-1/3	208/230	1075	3	5.3/2.8/1.8	Open Vent.	REV	BALL	1/2 X 6-1/4
D1709	1	208-230	1075	1	5.5	Open Vent.	REV	BALL	1/2 X 6-1/2
D1710	1	460	1075	1	3	Open Vent.	REV	BALL	1/2 X 6-1/2

SERIES WOUND DC MOTORS - 3" DIAMETER										
FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
DC141	3.0	1/36	12	3100	1	4.5	Open Vent.	REV	SLV	1/4 X 2
DC094	3.0	1/25	12	2500	2	4	Tot. Encl.	CW	SLV	5/16 X 1-1/2
DC140	3.0	1/14	12	3150	1	8.5	Open Vent.	REV	SLV	5/16 X 2
DC144	3.0	1/14	12	3150	1	7	Open Vent.	REV	SLV	1/4 X 2
DC143	3.0	1/12	12	3000	1	13.6	Open Vent.	REV	SLV	5/16 X 2
DC044	3.0	1/10	12	2300	2	8	Open Vent.	REV	SLV	5/16 X 2
DC137	3.0	1/8	12	4200	2	12.3	Open Vent.	REV	SLV	5/16 X 2-3/4
DC136	3.0	1/8	12	4200	3	12.3	Open Vent.	REV	SLV	5/16 X 1-3/4
DC135	3.0	1/8	12	4200	3	12.3	Open Vent.	DS	SLV	3-3/8 X 5/16 X 3-3/8
DC139	3.0	1/7	12	3300	1	15	Open Vent.	REV	SLV	5/16 X 2
DC138	3.0	1/5	12	3050	1	22	Open Vent.	CW	SLV	5/16 X 2
DC024	3.0	1/4	12	3100	1	19	Open Vent.	REV	SLV	5/16 X 1-1/2
DC142	3.0	1/3	12	3150	1	28.5	Open Vent.	DS	SLV	5/16 X 2

C-FRAME MOTORS - SHADED POLE									
FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
K114	1/500	115	1100	1	0.64	Open Vent.	CCW	SLV	.181 X 1.75
K102	1/200	115	1100	1	0.64	Open Vent.	CW	SLV	.181 X 1.5
K120	1/200	115	3000	2	.4-.25	Open Vent.	CW	SLV	.217 X 1.55
K628	1/200	208-230	3000	1	0.25	Open Vent.	CW	SLV	1/4 X 1-1/2
K614	1/150	115	3000	1	0.6	Open Vent.	CW	SLV	.217 X 1.625
K673	1/150	115	3000	2	.5-.35	Open Vent.	CCW	SLV	.1875 X 1.75
K670	1/150	115	3000	1	0.5	Open Vent.	CCW	SLV	.1875 X 1.75
K130	1/150	115	3000	1	0.43	Open Vent.	CW	SLV	.181 X 1
K101	1/150	230	1260	1	0.58	Open Vent.	CCW	SLV	.217 X 1.34
K672	1/150	240	3000	1	0.25	Open Vent.	CCW	SLV	.1875 X 1.75
K683	1/150	240	3000	1	0.25	Open Vent.	CW	SLV	.1875 X 1.75
K111	1/120	115	3000	1	1.1	Open Vent.	CCW	SLV	.217 X 1.94
K100	1/100	115	2750	1	0.71	Open Vent.	CW	SLV	.181 X 1.11
K611	1/100	115	3000	1	0.67	Open Vent.	CCW	SLV	.25 X 2.45
K115	1/100	120	3000	1	0.64	Open Vent.	CW	SLV	.217 X 1.75
K629	1/85	115	2950	1	0.67	Open Vent.	CW	SLV	1/4 X 1-1/8
K109	1/75	115	3000	1	0.9	Open Vent.	CCW	SLV	.217 X 2.37
K110	1/75	115	3000	1	0.9	Open Vent.	CCW	SLV	.217 X 2.37
K113	1/70	115	3000	1	1.2	Open Vent.	CCW	SLV	.217 X 1.15
K612	1/65	115	3000	1	0.8	Open Vent.	CW	SLV	.25 X 2.7
K610	1/60	115	3000	2	.88-.68	Open Vent.	CCW	SLV	.217 X 1.3
K112	1/50	115	3000	2	1-.5	Open Vent.	CW	SLV	.217 X 1.46
K161	1/50	115	3000	1	1.05	Open Vent.	CCW	SLV	.217 X 1.21

SHADED POLE MOTORS - 3.3" DIAMETER										
FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D1121	2.3	1/20	208-230	1550	1	1.0	Open Vent.	CW	SLV	5/16 X 2-1/2
D200	3.25	1/85	115	3000	1	0.6	Open Vent.	CW	SLV	2-3/8 X 1/4 X 3/4
D201	3.25	1/85	115	3000	1	0.6	Open Vent.	CCW	SLV	1/4 X 1-3/8

SHADED POLE MOTORS - 3.3" DIAMETER (cont.)

FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D107	3.3	1/160	208-240	600	1	0.5	Open Vent.	CCW	SLV	5/16 X 1
D408	3.3	1/150	115	3000	1	0.5	Open Vent.	CW	SLV	1/4 X 1-1/2
D129	3.3	1/125-1/200	115	1500	2	.4-.3	Open Vent.	DS	SLV	3-1/4 X 1/4 X 3-1/4
D229	3.3	1/100	115	3000	1	0.55	Open Vent.	CCW	SLV	1/4 X 3-1/2
D230	3.3	1/100	115	3000	1	0.55	Open Vent.	CW	SLV	1/4 X 3-1/2
D540	3.3	1/100	115	1500	1	0.6	Tot. Encl.	CW	SLV	1/4 X 2-1/4
D541	3.3	1/100	115	1500	1	0.6	Tot. Encl.	CCW	SLV	1/4 X 2-1/4
D1109	3.3	1/100	115	1500	1	0.65	Tot. Encl.	CCW	SLV	1/4 X 1-1/4
D1162	3.3	1/100	115	1500	1	0.6	Open Vent.	REV	SLV	5/16 X 1
D1119	3.3	1/90	240	1500	1	0.34	Open Vent.	CCW	SLV	1/4 X 1-1/2
D202	3.3	1/85	115	3000	1	0.6	Open Vent.	CW	SLV	1/4 X 2-1/4
D228	3.3	1/80	115	3000	1	0.8	Open Vent.	CW	SLV	1/4 X 2
D122	3.3	1/80	115	1500	1	0.6	Tot. Encl.	CW	SLV	1/4 X 2-1/4
D123	3.3	1/80	115	1500	1	0.6	Tot. Encl.	CCW	SLV	1/4 X 2-1/4
D431	3.3	1/80	230	1550	1	9 Watts	Tot. Encl.	CCW	SLV	HUB
D120	3.3	1/70	115	1500	1	0.7	Open Vent.	CW	SLV	1/4 X 2-1/4
D121	3.3	1/70	115	1500	1	0.7	Open Vent.	CCW	SLV	1/4 X 2-1/4
D167	3.3	1/70	115	1500	1	0.7	Open Vent.	CW	SLV	1/4 X 3
D169	3.3	1/70	115	1500	1	0.7	Open Vent.	CCW	SLV	1/4 X 3
D402	3.3	1/60	115	3000	1	0.75	Tot. Encl.	CW	SLV	1/4 X 1-3/4
D403	3.3	1/60	115	3000	1	0.75	Tot. Encl.	CCW	SLV	1/4 X 2-1/4
D182	3.3	1/60	115	1500	1	0.6	Tot. Encl.	CW	SLV	5/16 X 2-1/4
D1134	3.3	1/50-1/65-1/80	115	1500	3	1.1-.8-.6	Open Vent.	CW	SLV	1/4 X 1-3/4
D1139	3.3	1/50-1/80-1/125	115	1500	3	0.88	Open Vent.	CW	SLV	2-1/2 X 5/16 X 1-1/8
D609	3.3	1/50	115	1500	1	0.9	Open Vent.	CCW	SLV	1/4 X 2-1/4
D603	3.3	1/50	115	1500	1	0.9	Open Vent.	CW	SLV	1/4 X 2-3/8
D124	3.3	1/50	115	1500	1	0.75	Tot. Encl.	CW	SLV	1/4 X 2-1/4
D125	3.3	1/50	115	1500	1	0.75	Tot. Encl.	CCW	SLV	1/4 X 2-1/4
D601	3.3	1/50	115	1500	1	0.9	Tot. Encl.	CCW	SLV	1/4 X 2-1/4
D602	3.3	1/50	115	1500	1	0.9	Tot. Encl.	CW	SLV	1/4 X 2-1/4
D418	3.3	1/50	115	1550	1	1.1	Open Vent.	CW	BALL	1/4 X 3
D608	3.3	1/50	230	3000	1	0.6	Open Vent.	CW	SLV	1/4 X 1-5/16
D624	3.3	1/50	230	1500	1	0.4	Tot. Encl.	CW	SLV	1/4 X 2-1/4
D128	3.3	1/40-1/50-1/80	115	1500	3	1.3-.9-.6	Open Vent.	DS	SLV	4 X 5/16 X 4
D205	3.3	1/40-1/70	115	3000	2	1-5	Tot. Encl.	DS	SLV	3 X 1/4 X 3
D203	3.3	1/40	115	3000	1	1	Open Vent.	CCW	SLV	1/4 X 2-1/4
D126	3.3	1/40	115	1500	1	1.1	Open Vent.	CW	SLV	5/16 X 2-1/4
D127	3.3	1/40	115	1500	1	1	Open Vent.	CCW	SLV	5/16 X 2-1/4
D106	3.3	1/40	115	1500	1	0.9	Open Vent.	CCW	SLV	1/4 X 1-3/4
D130	3.3	1/40	115	1500	1	1	Open Vent.	CW	SLV	5/16 X 4-1/8
D131	3.3	1/40	115	1500	1	1	Open Vent.	CCW	SLV	5/16 X 2-1/4
D415	3.3	1/40	115	1550	1	1.1	Open Vent.	CCW	BALL	1/4 X 3
D1192	3.3	1/40	115	3000	1	0.7	Open Vent.	CCW	SLV	5/16 X 1-1/2
D1167	3.3	1/40	208-230	3000	1	0.55	Open Vent.	CCW	SLV	5/16 X 1
D190	3.3	1/40	230	1500	1	0.6	Open Vent.	CW	SLV	1/4 X 2-1/4
D330	3.3	1/40	230	1500	1	0.5	Open Vent.	CW	SLV	5/16 X 2-1/4
D1191	3.3	1/40	460	3200	1	0.37	Open Vent.	CCW	BALL	1/4 X 2-1/2
D105	3.3	1/37	115	1500	1	0.94	Open Vent.	CCW	SLV	1/4 X 1-1/2
D534	3.3	1/35-1/100	115	1500	1	1.4-.5	Tot. Encl.	CW	SLV	1/4 X 1
D477	3.3	1/35	208 / 230	1550	1	0.75	Open Vent.	CCW	SLV	5/16 X 1-5/8
D1196	3.3	1/33	115	3200	1	1.5	Open Vent.	CCW	SLV	5/16 X 2-1/3
D532	3.3	1/30-1/112	115	1500	2	1.4-.8	Open Vent.	CW	SLV	5/16 X 1-1/2
D181	3.3	1/30-1/40	115	1500	2	1.3-1	Open Vent.	CCW	SLV	5/16 X 2-1/4
D137	3.3	1/30-1/65	115	1500	1	1-7	Tot. Encl.	DS	SLV	3 X 5/16 X 3
D206	3.3	1/30	115	3000	1	1.2	Open Vent.	CW	SLV	1/4 X 2-1/4
D209	3.3	1/30	115	3000	1	1.1	Open Vent.	DS	SLV	3-1/4 X 1/4 X 3-1/4
D208	3.3	1/30	115	3000	1	1.1	Open Vent.	CW	SLV	1/4 X 3

SHADED POLE MOTORS - 3.3" DIAMETER (cont.)										
FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D136	3.3	1/30	115	1500	1	1.3	Open Vent.	DS	SLV	2 X 5/16 X 2
D514	3.3	1/30	115	1500	1	1.3	Open Vent.	CW	SLV	5/16 X 2-1/4
D515	3.3	1/30	115	1500	1	1.3	Open Vent.	CCW	SLV	5/16 X 2-1/4
D1173	3.3	1/30	115	1500	1	1.2	Open Vent.	CW	BALL	5/16 X 2-1/2
D1198	3.3	1/30	115	3200	1	1.5	Open Vent.	CCW	SLV	5/16 X 2-1/4
D454	3.3	1/30	115	3000	1	1.5	Open Vent.	CW	SLV	1/4 X 1-1/2
D1179	3.3	1/30	115	3000	1	1.5	Open Vent.	CW	SLV	5/16 X 2
D1190	3.3	1/30	115	3000	1	1.6	Open Vent.	CW	SLV	5/16 X 1-3/4
D455	3.3	1/30	115 / 230	3000	1	1.3-.7	Open Vent.	CCW	BALL	1/4 X 3-7/8
D207	3.3	1/30	230	3000	1	0.6	Open Vent.	DS	SLV	2-1/4 X 1/4 X 2-1/4
D1118	3.3	1/30	240	1500	1	0.6	Open Vent.	CW	BALL	5/16 X 3-1/2
D332	3.3	1/25-1/65	115	1500	2	1.5-.8	Open Vent.	CW	SLV	5/16 X 2
D210	3.3	1/25	115	3000	1	1.3	Open Vent.	CW	SLV	1/4 X 2-1/4
D364	3.3	1/25	115	1500	1	1.8	Open Vent.	DS	SLV	1-7/8 X 5/16 X 1-7/8
D365	3.3	1/25	115	1500	1	1.8	Open Vent.	DS	SLV	1-7/8 X 5/16 X 1-7/8
D184	3.3	1/25	115	1500	1	1.2	Open Vent.	CW	SLV	5/16 X 1-7/8
D1194	3.3	1/25	115	3200	1	1.7	Open Vent.	CW	BALL	5/16 X 1-1/3
D1164	3.3	1/25	115 / 230	1550	1	1.3-.65	Tot. Encl.	CW	SLV	5/16 X 2-1/2
D216	3.3	1/25	230	3000	1	0.65	Open Vent.	CW	SLV	1/4 X 2-1/4
D636	3.3	1/25	230	1500	1	0.69	Open Vent.	DS	SLV	2-1/4 X 5/16 X 2-1/4
D1193	3.3	1/22	115	3000	1	1.2	Open Vent.	CCW	SLV	5/16 X 2-1/3
D520	3.3	1/20-1/50-1/100	115	1500	3	2-1-.6	Tot. Encl.	CW	SLV	1/4 X 2-1/4
D132	3.3	1/20	115	1500	1	1.8	Open Vent.	CW	SLV	5/16 X 2-1/4
D133	3.3	1/20	115	1500	1	1.8	Open Vent.	CCW	SLV	5/16 X 2-1/4
D472	3.3	1/20	115	1550	1	1.9	Open Vent.	CW	SLV	5/16 X 2-5/8
D473	3.3	1/20	115	1550	1	2	Open Vent.	CCW	SLV	5/16 X 2-5/8
D1124	3.3	1/20	115	1500	1	2.1	Open Vent.	CW	SLV	5/16 X 3
D1120	3.3	1/20	115	1500	1	2.1	Open Vent.	CW	SLV	5/16 X 2-1/2
D1152	3.3	1/20	115	1500	1	1.7	Open Vent.	CW	SLV	5/16 X 2-3/8
D1101	3.3	1/20	115	1500	1	1.9	Open Vent.	CCW	SLV	5/16 X 2-1/4
D1180	3.3	1/20	115	3300	1	1.9	Open Vent.	CW	SLV	5/16 X 2-1/8
D471	3.3	1/20	208-230	1550	1	1.1	Open Vent.	CCW	SLV	5/16 X 2-1/2
D470	3.3	1/20	208-230	1550	1	0.94	Open Vent.	CW	SLV	5/16 X 2-5/8
D1103	3.3	1/20	208-230	1500	1	1.15	Open Vent.	CCW	SLV	5/16 X 2-1/4
D188	3.3	1/20	230	1500	1	0.9	Open Vent.	CW	SLV	5/16 X 2-1/4
D189	3.3	1/20	230	1500	1	0.9	Open Vent.	CCW	SLV	5/16 X 2-1/4
D1154	3.3	1/20	230	1500	1	1	Open Vent.	CW	SLV	5/16 X 2-3/8
D186	3.3	1/20	460	1500	1	0.4	Open Vent.	CW	SLV	5/16 X 2-1/3
D1111	3.3	1/18-1/30	115	1330	2	2.4-1.2	Open Vent.	CCW	SLV	3-1/8 X 5/16 X 2-3/8
D1161	3.3	1/15-1/25	115	1500	1	2.9-1.9	Open Vent.	CCW	SLV	5/16 X 2
D213	3.3	1/15	115	3000	1	2.1	Open Vent.	DS	SLV	2-3/4 X 1/4 X 2-3/4
D109	3.3	1/15	115	1600	1	2.1	Open Vent.	CW	SLV	5/16 X 3
D1142	3.3	1/15	115 / 230	1500	1	1.7-.9	Open Vent.	CW	SLV	5/16 X 2-1/2
D456	3.3	1/15	115 / 230	3000	1	2-1	Tot. Encl.	CW	BALL	1/4 X 2-3/4
D457	3.3	1/15	115 / 230	3000	1	2-1	Open Vent.	CCW	BALL	1/4 X 2-3/4
D458	3.3	1/15	208-230	3000	1	1	Open Vent.	CW	BALL	1/4 X 2-3/4
D1188	3.3	1/15	208-230 / 460	3000	1	1.1-.6	Open Vent.	CW	BALL	5/16 X 2
D211	3.3	1/15	230	3000	1	1.1	Open Vent.	DS	SLV	2-1/2 X 1/4 X 2-1/2
D1126	3.3	1/15	230	1500	1	1.1	Open Vent.	CW	SLV	5/16 X 3
D1174	3.3	1/15	460	3000	1	0.6	Open Vent.	CW	BALL	1/4 X 2-1/2
D1171	3.3	1/15	460	3000	1	0.6	Open Vent.	CCW	BALL	1/4 X 2-1/2
D366	3.3	1/14-1/25	115	1550	2	2.5-1.5	Open Vent.	DS	SLV	6-3/8 X 5/16 X 6-3/8
D367	3.3	1/12-1/20-1/30	115	1550	3	3-2.1-1.7	Open Vent.	DS	SLV	5-3/4 X 5/16 X 5-3/4
D469	3.3	1/12	208-230	1550	1	1.3	Open Vent.	CCW	SLV	5/16 X 2-1/8
D475	3.3	1/12	460	1550	1	0.5	Open Vent.	CCW	SLV	5/16 X 2-1/2
D498	3.3	1/12	460	1550	1	0.5	Open Vent.	CW	SLV	5/16 X 2-1/2
D325	3.3	1/10-1/30	115	1550	2	2.5-2.3	Open Vent.	CCW	SLV	1-3/4 X 5/16 X 2-3/8

SHADED POLE MOTORS - 3.3" DIAMETER (cont.)

FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D1169	3.3	1/10	208-230	3000	1	1.5	Open Vent.	CCW	SLV	5/16 X 1
D429	3.3	9 Watts	115	1550	1	0.6	Tot. Encl.	CCW	SLV	HUB
D437	3.3	16 Watts	115	1550	1	1.1	Tot. Encl.	CCW	SLV	HUB
D222	3.81	1/25	115	1500	1	1.6	Tot. Encl.	DS	SLV	2-1/4 X 5/16 X 2-1/4
D1138	3.91	1/50-1/80-1/140	115	1500	3	.9-.6-.5	Open Vent.	CW	SLV	5/16 X 2-1/2
D134	3.91	1/25	115	1500	1	1.6	Tot. Encl.	CW	SLV	5/16 X 2-1/4
D135	3.91	1/25	115	1500	1	1.6	Tot. Encl.	CCW	SLV	5/16 X 2-1/4
D138	3.91	1/25	115	1500	1	1.6	Tot. Encl.	CW	SLV	5/16 X 2-5/8
D192	3.91	1/25	230	1500	1	0.9	Tot. Encl.	CW	SLV	5/16 X 2-1/4
D226	3.91	1/20	115	1500	1	1.6	Tot. Encl.	CW	BALL	5/16 X 2-1/4
D227	3.91	1/20	115	1500	1	1.7	Tot. Encl.	CCW	BALL	5/16 X 2-1/4
D214	3.91	1/20	115 / 230	3000	1	1.7-.8	Tot. Encl.	CW	SLV	5/16 X 6-1/2
D215	3.91	1/20	115 / 230	3000	1	1.7-.8	Tot. Encl.	CCW	BALL	5/16 X 6-1/2
D220	3.91	1/20	115 / 230	3000	1	1.7-.8	Tot. Encl.	CW	BALL	5/16 X 6-1/2
D234	3.91	1/15	115	1500	1	2.2	Tot. Encl.	CW	SLV	5/16 X 2-1/4
D238	3.91	1/15	115	1500	1	2.3	Tot. Encl.	CW	SLV	5/16 X 2-5/8
D334	3.91	1/15	230	1500	1	1.4	Tot. Encl.	CW	BALL	5/16 X 3
D235	3.91	1/12	115	1500	1	2.2	Tot. Encl.	CCW	SLV	5/16 X 2-1/4

SHADED POLE MOTORS - 4.4" DIAMETER

FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D333	4.4	1/25	115	1550	1	1.4	Open Vent.	DS	SLV	7-1/4 X 3/8 X 7-1/4
D335	4.4	1/20-1/30-1/40-1/60	115	1550	4	2.1-1.4-1.2-1.1	Open Vent.	DS	SLV	8 X 1/2 X 8
D1061	4.4	1/20-1/30-1/60	115	1500	3	2-1.7-1.4	Open Vent.	CCW	SLV	1/2 X 2-3/4
D170	4.4	1/20	115	1500	1	1.7	Open Vent.	CW	SLV	5/16 X 2-1/4
D484	4.4	1/20	115 / 208-230	1550	1	2.2-1.1	Open Vent.	CW	SLV	3/8 X 3-1/8
D485	4.4	1/20	115 / 208-230	1550	1	2.2-1.1	Open Vent.	CCW	SLV	3/8 X 3-1/8
D117	4.4	1/15-1/25-1/30-1/40	115	1550	4	2.4-1.4-1.1-.9	Open Vent.	CCW	SLV	1/2 X 7-1/2
D118	4.4	1/15-1/30	115	1500	2	2.4-1.4	Open Vent.	CW	SLV	3/8 X 2-3/8
D116	4.4	1/15	115	1500	1	2.4	Open Vent.	CW	SLV	3/8 X 2-3/8
D1170	4.4	1/15	115	1500	1	2.1	Open Vent.	CW	BALL	3/8 X 2-1/2
D312	4.4	1/15	115	1500	1	2.7	Open Vent.	CW	SLV	1/2 X 5
D329	4.4	1/15	115	1550	1	2.5	Open Vent.	DS	SLV	7-1/2 X 3/8 X 7-1/2
D482	4.4	1/15	115 / 208-230	1550	1	3.2-1.6	Open Vent.	CW	SLV	3/8 X 3-1/8
D483	4.4	1/15	115 / 208-230	1550	1	3.2-1.6	Open Vent.	CCW	SLV	3/8 X 3-1/8
D377	4.4	1/12	115	1500	1	3.1	Open Vent.	CCW	SLV	3/8 X 2
D310	4.4	1/12	115	1500	1	4	Open Vent.	CW	SLV	3/8 X 2
D113	4.4	1/12	115 / 230	1550	1	2.5-1.3	Tot. Encl.	CCW	SLV	3/8 X 3
D114	4.4	1/12	115 / 230	1550	1	2.5-1.3	Tot. Encl.	CW	SLV	3/8 X 3
D115	4.4	1/12	115 / 230	1550	1	2.5-1.3	Tot. Encl.	CCW	SLV	1/2 X 2
D119	4.4	1/11-1/25-1/70	115	1500	3	2.9-1.5-1	Open Vent.	CCW	BALL	1/2 X 2-5/8
D236	4.4	1/10-1/15-1/25	115	1550	3	3.5-2.4-1.8	Open Vent.	DS	SLV	7-1/2 X 1/2 X 7-1/2
D336	4.4	1/10-1/15-1/25	115	1550	3	3.5-2.4-1.8	Open Vent.	DS	SLV	7-1/2 X 3/8 X 7-1/2
D674	4.4	1/10-1/15	230	1500	2	2-1.3	Open Vent.	CW	SLV	3/8 X 2-1/2
D635	4.4	1/10-1/20-1/35	230	1550	3	1.8-1.3-1	Open Vent.	DS	SLV	10 X 1/2 X 10
D174	4.4	1/10	115	1500	1	3.5	Open Vent.	CW	SLV	3/8 X 2-7/8
D1039	4.4	1/10	115	1500	1	3.1	Open Vent.	CCW	SLV	1/2 X 2-3/8
D112	4.4	1/10	115	1500	1	3.6	Open Vent.	CW	SLV	3/8 X 2-5/8
D480	4.4	1/10	115 / 208-230	1550	1	4.5-2.2	Open Vent.	CW	SLV	3/8 X 3-1/8
D481	4.4	1/10	115 / 208-230	1550	1	4.5-2.2	Open Vent.	CCW	SLV	3/8 X 3-1/8
D435	4.4	1/10	230	1500	1	1.7	Open Vent.	CCW	SLV	3/8 X 2-5/8
D337	4.4	1/8-1/10-1/12-1/15	115	1550	4	4.1-2.7-2.3-1.9	Open Vent.	DS	SLV	7-1/2 X 1/2 X 7-1/2
D339	4.4	1/8-1/12	230	1550	2	2-1.4	Open Vent.	DS	SLV	6-1/2 X 1/2 X 6-1/2
D374	4.4	1/8-1/20	115	1500	2	4-2.5	Open Vent.	CW	SLV	3/8 X 2-1/2
D338	4.4	1/6-1/10-1/12-1/15	115	1550	4	5.4-3.2-2.5-2.1	Open Vent.	DS	SLV	7-1/4 X 1/2 X 7-1/4
D1006	4.4	1/4	115	1600	1	7.2	Open Vent.	CW	SLV	1/2 X 2-3/4

SHADED POLE MOTORS - 5" AND 5.1" DIAMETER										
FASCO MODEL	DIA.	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D249	5	1/50-1/80-1/160	115	1050	3	1.1-.6-.4	Open Vent.	DS	SLV	7-5/8 X 3/8 X 7-5/8
D340	5	1/40	115	1050	1	1.1	Tot. Encl.	CW	SLV	3/8 X 2-5/8
D143	5	1/30-1/40	115	1050	2	1.5-1	Open Vent.	CCW	SLV	1/2 X 1-5/8
D655	5	1/25-1/40-1/70	230	1050	3	.7-.5-.3	Open Vent.	DS	SLV	10 X 1/2 X 10
D255	5	1/25-1/50-1/80	115	1050	3	1.5-1-.6	Open Vent.	DS	SLV	7-1/2 X 1/2 X 7-1/2
D250	5	1/25-1/50-1/80	115	1050	3	1.5-1-.6	Open Vent.	DS	SLV	8 X 3/8 X 8
D1038	5	1/25	115	1050	1	1.4	Open Vent.	CW	SLV	1/2 X 2-1/2
D253	5	1/20-1/40-1/50	115	1050	3	2.2-1.4-.8	Open Vent.	DS	SLV	7-1/2 X 1/2 X 7-1/2
D252	5	1/20-1/40-1/70	115	1050	3	1.6-.8-.5	Open Vent.	DS	SLV	7-1/2 X 3/8 X 7-1/2
D1036	5	1/20	115	1045	1	1.95	Open Vent.	CW	SLV	3/8 X 2-1/8
D242	5	1/20	115	1050	1	2	Open Vent.	CW	SLV	3/8 X 3
D494	5	1/20	115 / 208-230	1050	1	3-1.6	Open Vent.	CW	SLV	3/8 X 3-1/8
D495	5	1/20	115 / 208-230	1050	1	3-1.6	Open Vent.	CCW	SLV	3/8 X 3-1/8
D257	5	1/15-1/20-1/25	277	1050	3	1.1-.7-.6	Open Vent.	DS	SLV	9 X 1/2 X 9
D389	5	1/15-1/20-1/30-1/50	115	1050	4	2.4-1.6-1.1-.8	Open Vent.	DS	SLV	10-1/4 X 1/2 X 10-1/4
D142	5	1/15-1/25	115	1050	2	2.6-1.6	Open Vent.	CW	SLV	3/8 X 2-3/8
D254	5	1/15-1/30-1/50	115	1050	3	2.1-1.3-.8	Open Vent.	DS	SLV	8 X 3/8 X 8
D251	5	1/15-1/35-1/50	208-230	1050	3	1.2-.5-.4	Open Vent.	DS	SLV	9-1/4 X 1/2 X 8-1/2
D342	5	1/15	115	1050	1	2.3	Open Vent.	CW	SLV	3/8 X 2-1/2
D140	5	1/15	115	1050	1	2.7	Open Vent.	CW	SLV	3/8 X 2-3/8
D492	5	1/15	115 / 208-230	1050	1	3.4-1.7	Open Vent.	CW	SLV	3/8 X 3-1/8
D493	5	1/15	115 / 208-230	1050	1	3.4-1.7	Open Vent.	CCW	SLV	3/8 X 3-1/8
D1054	5	1/12-1/20-1/25	115	1050	3	3.1-2.1-1.5	Open Vent.	CW	SLV	1/2 X 2-1/2
D160	5	1/10-1/12-1/15	115	1050	3	3.4-2.8-2.4	Open Vent.	CW	SLV	3/8 X 3-7/8
D256	5	1/10-1/20-1/30	115	1050	3	3.4-1.7-1.1	Open Vent.	DS	SLV	8 X 1/2 X 8
D176	5	1/10-1/20	115	1050	2	3.9-1.7	Open Vent.	CW	SLV	3/8 X 3
D293	5	1/10-1/30-1/40-1/45-1/50	115	1050	5	3.6-1.6-1.2-.8-.6	Open Vent.	DS	SLV	10-3/4 X 3/8 X 10-3/4
D289	5	1/10-1/30-1/40-1/45-1/50	115	1050	5	3.6-1.6-1.2-.8-.6	Open Vent.	DS	SLV	10-3/4 X 1/2 X 10-3/4
D154	5	1/10	115	1050	1	5	Open Vent.	CW	SLV	3/8 X 2-3/4
D148	5	1/10	115	1050	1	3.6	Open Vent.	CW	SLV	3/8 X 3-1/2
D144	5	1/10	115	1050	1	3.6	Open Vent.	CW	SLV	1/2 X 4-1/2
D490	5	1/10	115 / 208-230	1050	1	5-2.5	Open Vent.	CW	SLV	3/8 X 3-1/8
D491	5	1/10	115 / 208-230	1050	1	5-2.5	Open Vent.	CCW	SLV	3/8 X 3-1/8
D356	5	1/8-1/10-1/12	115	1050	3	4.7-3.7-3.2	Open Vent.	CW	SLV	1/2 X 3-1/2
D316	5	1/8-1/10	230	1050	2	2.1-1.8	Open Vent.	CW	SLV	1/2 X 3-1/2
D178	5	1/8-1/11	115	1050	2	4.5-3.4	Open Vent.	CW	SLV	1/2 X 4
D180	5	1/8-1/11	115	1050	2	4.5-3.4	Open Vent.	CW	SLV	1/2 X 4
D314	5	1/8-1/15	230	1050	2	2.3-1.5	Open Vent.	CW	SLV	1/2 X 5
D1046	5	1/8	115	1070	1	5.1	Open Vent.	CW	SLV	1/2 X 2-1/4
D656	5	1/8	230	1050	1	2.1	Open Vent.	CW	SLV	1/2 X 3-7/8
D164	5	1/6-1/8-1/10-1/2	115	1050	4	6.5-4.8-4.3-3.7	Open Vent.	CW	SLV	1/2 X 4-1/2
D224	5	1/6-1/8-1/12	230	1050	3	3.2-2.3-1.8	Open Vent.	DS	SLV	10 X 1/2 X 10
D318	5	1/6-1/8	230	1050	2	3.1-2.2	Open Vent.	CW	SLV	1/2 X 3-1/2
D166	5	1/6-1/9	115	1050	2	7.2-3.8	Open Vent.	CW	SLV	1/2 X 3-1/2
D156	5	1/6	115	1050	1	6.6	Open Vent.	CW	SLV	1/2 X 3-7/8
D240	5	1/6	115	1050	1	6.2	Open Vent.	CW	SLV	1/2 X 3-1/2
D658	5	1/5-1/6-1/7-1/8	208-230	1050	4	4-3.4-3.1-2.4	Open Vent.	CW	SLV	1/2 X 5-1/4
D158	5	1/5-1/6-1/7	115	1050	3	6.7-5.3-4.7	Open Vent.	CW	SLV	1/2 X 4-1/8
S156	5	1/3	115	1050	1	6.6	Open Vent.	CW	SLV	1/2 X 3-7/8
D177	5.1	1/10-1/20	115	1050	2	3.9-1.7	Open Vent.	CCW	SLV	3/8 X 3-5/8
D1066	5.1	1/10	115	1050	1	3.6	Open Vent.	CW	SLV	1/2 X 2-3/4
D1028	5.1	1/8	115	1050	1	3.3	Open Vent.	CW	SLV	1/2 X 2-1/2

SPLIT PHASE MOTORS									
FASCO MODEL	HP	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	SHAFT DIM.
D6002	1/4	115 / 230	1725	1	5.2-2.6	Open Drip Proof	REV	BALL	1/2 X 1-1/2
D6004	1/3	115 / 230	1725	1	6.2-3.1	Open Drip Proof	REV	BALL	1/2 X 1-1/2
D6006	1/2	115 / 230	1725	1	8.6-4.3	Open Drip Proof	REV	BALL	1/2 X 1-1/2

UNIT BEARING MOTORS									
FASCO MODEL	WATT RATING	VOLTS	RPM	SPD.	AMPS	ENCLOSURE	ROT.	BRNG.	THREADED SHAFT
D550	2	115	1550	1	0.24	Tot. Encl.	CW	SLV	1/4 - 20
D551	2	115	1550	1	0.24	Tot. Encl.	CCW	SLV	1/4 - 20
D554	4	115	1550	1	0.34	Tot. Encl.	CW	SLV	1/4 - 20
D555	4	115	1550	1	0.34	Tot. Encl.	CCW	SLV	1/4 - 20
D582	5	115	1550	1	0.35	Tot. Encl.	CW	SLV	1/4 - 20
D583	5	115	1550	1	0.35	Tot. Encl.	CCW	SLV	1/4 - 20
D558	6	115	1550	1	0.42	Tot. Encl.	CW	SLV	1/4 - 20
D559	6	115	1550	1	0.42	Tot. Encl.	CCW	SLV	1/4 - 20
D562	9	115	1550	1	0.55	Tot. Encl.	CW	SLV	1/4 - 20
D563	9	115	1550	1	0.55	Tot. Encl.	CCW	SLV	1/4 - 20
D566	16	115	1550	1	1.1	Tot. Encl.	CW	SLV	1/4 - 20
D567	16	115	1550	1	1.1	Tot. Encl.	CCW	SLV	1/4 - 20
D570	25	115	1550	1	1.2	Tot. Encl.	CW	SLV	1/4 - 20
D571	25	115	1550	1	1.2	Tot. Encl.	CCW	SLV	1/4 - 20
D574	35	115	1550	1	1.5	Tot. Encl.	CW	SLV	1/4 - 20
D575	35	115	1550	1	1.5	Tot. Encl.	CCW	SLV	1/4 - 20
D578	50	115	1550	1	1.8	Open Vent.	CW	SLV	3/8 x 1-1/2
D579	50	115	1550	1	1.8	Open Vent.	CCW	SLV	3/8 x 1-1/2
D552	2	230	1550	1	0.12	Tot. Encl.	CW	SLV	1/4 - 20
D553	2	230	1550	1	0.12	Tot. Encl.	CCW	SLV	1/4 - 20
D556	4	230	1550	1	0.16	Tot. Encl.	CW	SLV	1/4 - 20
D557	4	230	1550	1	0.16	Tot. Encl.	CCW	SLV	1/4 - 20
D560	6	230	1550	1	0.21	Tot. Encl.	CW	SLV	1/4 - 20
D561	6	230	1550	1	0.21	Tot. Encl.	CCW	SLV	1/4 - 20
D564	9	230	1550	1	0.33	Tot. Encl.	CW	SLV	1/4 - 20
D565	9	230	1550	1	0.33	Tot. Encl.	CCW	SLV	1/4 - 20
D568	16	230	1550	1	0.6	Tot. Encl.	CW	SLV	1/4 - 20
D569	16	230	1550	1	0.6	Tot. Encl.	CCW	SLV	1/4 - 20
D572	25	230	1550	1	0.66	Tot. Encl.	CW	SLV	1/4 - 20
D573	25	230	1550	1	0.66	Tot. Encl.	CCW	SLV	1/4 - 20
D576	35	230	1550	1	0.7	Tot. Encl.	CW	SLV	1/4 - 20
D577	35	230	1550	1	0.7	Tot. Encl.	CCW	SLV	1/4 - 20
D580	50	230	1550	1	0.9	Open Vent.	CW	SLV	3/8 x 1-1/2
D581	50	230	1550	1	0.9	Open Vent.	CCW	SLV	3/8 x 1-1/2